	Application No.	Applicant(s)
Notice of Allowability	10/774,627	HAMANO ET AL.
	Examiner	Art Unit
	Kainoa BK Wright	2861
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with the county (OR REMAINS) CLOSED in this apportant or other appropriate communication (GHTS). This application is subject to and MPEP 1308.	oplication. If not included n will be mailed in due course. THIS
1. This communication is responsive to <u>Proposed Amendment</u>	nt dated 1/25/2007.	
2. The allowed claim(s) is/are 6.9.16 and 19.		
 3. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). 	been received. been received in Application No	
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be subm	ENT of this application.	
INFORMAL PATENT APPLICATION (PTO-152) which give	es reason(s) why the oath or declara	ation is deficient.
5. \square CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) including changes required by the Notice of Draftspers	on's Patent Drawing Review (PTO	-948) attached
1) hereto or 2) to Paper No./Mail Date	•	
(b) including changes required by the attached Examiner's Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the		
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	SIT OF BIOLOGICAL MATERIAL IN FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the CAL MATERIAL.
		•
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 11/3/06 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal F 6. ☐ Interview Summary Paper No./Mail Da 7. ☐ Examiner's Amenda 8. ☑ Examiner's Statema 9. ☐ Other	(PTO-413),

DETAILED ACTION

Response to Amendment

- 1. The proposed reply filed on 1/25/2007 has been considered by examiner.
- 2. Claims 1-5, 7-8, 10-15, 17-18 and 20 have been cancelled.

Allowance

- 3. Claims 6, 9, 16, and 19 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

Regarding Claim 6: The merits of claim 6 are considered to be allowable because the limitations of the claim as they apply to the art of image forming devices are such that examiner is unable to produce prior art that would preclude patentability.

Specifically, examiner believes that the adjustment of an integer portion of a conversion result with respect to a decimal portion of the conversion result; the conversion result depending from a unit conversion of a count value; the count value being of a length measurement of a transfer belt; is previously unknown in the art of image forming devices.

Regarding Claim 16: The methods of claim 16 follow the functionality of the devices of claim 6 such that the operation of the devices of claim 6 produce the steps corresponding to claim 16, and as such the arguments presented for claim 6 are valid for claim 16.

Regarding Claim 9: The allowable features of this claim include the selection of an image writing reference signal (or mode of producing an image writing reference

signal) based on a change or lack of change in the processing speed at which the image formation takes place. Tominaga (previously cited) shows that it is known in the art to provide for an uneven process speed by issuing registration signals according to a circumference measurement; however, examiner believes that the patentable feature of the present invention relies on the fact that the present invention responds to a change in the process speed by switching signals to one which accounts for the changing speed.

Regarding Claim 19: The methods of claim 19 follow the functionality of the devices of claim 9 such that the operation of the devices of claim 9 produce the steps corresponding to claim 19, and as such the arguments presented against claim 9 are valid for claim 19.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kainoa BK Wright whose telephone number is (571) 272-5102. The examiner can normally be reached on M-F 8:00am - 5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steve Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/774,627

Art Unit: 2861

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, sall 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

KAI

2/5/07

HAI PHAM PRIMARY EXAMINER Page 4